

Roofing and Siding Catalog

- 269 215-2003
- info@themetalshopllc.com
- themetalshopllc.com

Follow us on: (a)





BUY DIRECT AND SAVE!

Contact Us:



269215-2003



info@themetal shoplic.com



www.themetalshopllc .com



12945South M-66 HWY Bellevue, Mi49021

Follow us on: (a)







TABLE OF CONTENTS

02
02
03
07
07
09
11
15
15
16
16
17
18
21

TMS ROOFING




- the metal shop has earned a reputation as a roofing metal supplier in Michigan due to:
 - competitive pricing
 - energy efficiency
 - high-quality products
 - wide range of options

ROOFING: PANELS

5 RIB

Available in 29 Gauge




- Min. 29 Ga. Roof panel over OSB
- Min. 29 Ga. Roof Panel over Shingles over 15/32" Plywood
- Min. 29 Ga. Roof Panel over 1*4 wood Fastened Through the Rib Min. 29 Ga. Roof Panel over 5' OC Open Framing Steel Purlin Min. 29 Ga. Wall Panel over 5' OC Steel Purlin
- 29 Ga. Roof Panel over 15/32" Plywood
- Min. 29 Ga. Roof Panel over 1 * 4 Wood Purlins Screwed over 15/32" Plywood*
- Min. 29 Ga. Roof Panel over 1 4 Wood Purlins Nailed over 15/32" Plywood

Current product approval are on our website at www.themetalshopllc.com


TMS Trims

Specify Dimension of A and B


Denver Eave




Drip Edge




Reroof Drip




L Flashing




Fascia




Drip Cover (with Purlins)




Flying Gable



Gable




Large Gable Trim




TMS Trims

Specify Dimension of A and B


Ridge Cap




Large Ridge Cap




Flat Ridge Cap or Hip Cap Flat




High Side Ridge Cap




Drip Cap




J Channel




W-Valley



Transition




Upper Gambrel




TMS Trims

Specify Dimension of A and B


Side Wall




End Wall




Flat Side Wall




Counter Flashing




Chimney Flashing




Rat Guard




Wide Corner



Mini Corner




Inside Corner




TMS 5 Rib Trims

Specify Dimension of A and B

Caulk Edge




Kerf Edge




Add a Kerf or Caulk Edge to any End Wall / Side Wall Flashing


Post Cover



Box Gutter



Sliding Track Cover





TMS Standing Seam Panels

MECHANICAL LOCK 2"

SNAPLOCK 1.7/8"

- Available in 24 Gauge (18.75" width) and .032 Aluminum (14.75 width)
- Available in 24 Gauge (16" width)






- 24 Ga. Roof Panel over 15/32 Plywood
- 24 Ga. Roof Panel over 15/32 Plywood
- 24 Ga. Roof panel over 22 Ga. Steel Deck
- 24 Ga. Roof Panel over 2'/5' OC Open Framing Steel Purlin

Current product approval are on our website at www.themetalshopllc.com

TMS Standing Seam Panels

SNAP LOK 1"

Available in 24 or 26 Gauge



ALL PANELS OFFERED IN STRIATION PATTERN


- 24 Ga. Roof Panel over 15/32 Plywood
- 26 Ga. Roof Panel over 15/32' Plywood

Current product approval are on our website at www.themetalshopllc.com


TMS Trims

Specify Dimension of A and B


Drip Edge




Fascia




L Flashing




End Wall




TMS-LOK Flat Ridge Cap/ Hip Cap Flat




Side Wall




W-Valley



Transition Flashing




Upper Hip Flashing




TMS Trims

Specify Dimension of A and B


Gable 1"




Gable 2"




J Rake




Z Flashing TMS-Lok 1"




Z Flashing TMS-Lok 2"




Cleat




Eave Cleat



Counter Flashing



Sidewall and Endwall




TMS SIDING



- given the years in the industry the metal shop won't let you settle for anything less in your siding:
 - high-quality
 - products Heavy-duty
 - competitive pricing
 - Eco-friendly

SIDING: PANELS



10" Board and Batten


Available in 29 Gauge

- Overs 10" width battens
- Panel length up to 50 feet long
- 26 and 28 gauge metal
- All colors are energy star eligible
- UL listing is available
- All panels in this collection carry a 40-year paint warranty
- All panels are made of Galvalume®
- Ompatible trims are available

4" Traditional

Available in 29 Gauge


- Covers 10" width battens
- Panel length up to 50 feet long
- 26 and 28 gauge metal
- All colors are energy star eligible
- UL listing is available
- All panels in this collection carry a 40-year paint warranty
- All panels are made of Galvalume®
- Compatible trims are available



SIDING: PANELS

4" Dutch Lap


Available in 29 Gauge




- Overs 10" width battens
- Panel length up to 50 feet long
- 26 and 28 gauge metal
- All colors are energy star eligible
- UL listing is available
- All panels in this collection carry a 40-year paint warranty
- All panels are made of Galvalume®
- Ompatible trims are available



THE METAL SHOP TOOLS & ACCESSORIES



The Metal Shop Siding Trims



Single Bubble Foil/Foil


4', 6' & 8' Wide Typical Roll Weight: 22.3 +/- 0.3 lbs. ,33.05 +/- 0.45 lbs. , 43.75 +/- 0.55 lbs.

Typical Roll Length: 125 feet




Universal Rich Vent

Prevents water from blowing underneath the ridge cap while allowing the attic to breathe




Profile Vent

Prevents water from blowing underneath the ridge cap while allowing the attic to breathe.



Em Seal or Ridgevent

Use: used to ensure continuity of seal, continuing of insulation, continuity of fire proofing at all interrupted waterproofing systems.



Snap Z Ridge Venting System for Standing Seam

Roof vent designed to fit between the ribs of standing seam roof panels. Three models based on rib height: Snap-Z 1000 for 1" Rib Height, Snap Z-1500 for 1.5"Rib Height, SnapZ-2000 for 2" Rib Height, Alum 1"



Flex Pro


Venting Material
Die Cut to fit
Panel Type
Use With: Ultra Rib,
PBR and 5v

The Metal Shop watts removal: Sealants



Peel and Seal

6" rolls by 33 1/3' Seals panels under Hip Caps




Tacky Tape

1/2" X 50' and 3/4" x 50' rolls available Seals laps and trim to roof seams Required on Slopes less than 3/12



Foam Closures

Die Cut to fit Panel Type Use with: Ultra Rib, PBR and 5V.



Expanding Foam

Expands to 1"x1" and 1.5"x20' Use along W-Valley



Geocell 2300

Sealant Exceptional elongation and flexibility


The Metal Shop Flashings



Peel and Seal

Used to seal around plumbing pipes Available in temperature ranges -65° to 250° or -100° to +450°

> Size: #3: 1/4"-5" #4: 5" - 6.75" #5: 4 1/4" - 7 1/2" #7: 6"-11" #9: 9"-19"



Electric Pipe Boot

Used where electric poles penetrate the roof



Touch-Up Paint Pens

Used on metal for scratches, marks, end cuts, panel edges on valleys matches the metal colors



Spray Paint

6 oz Not to be used on panel or trim. Used for roof boots and vents

The Metal Shop: Fasteners



Woodgrip Screw

Metal to Wood #9 x1", 1.5", 2" Lengths, 1/4" Head, Matches panel colors, 250 screws/bag



Lap Screw

For Side laps and trim, metal to metal #14 x 7/8"Long, 5/16" Head - Matches panel colors 250 screws/bag




Wood Binder

Metal to Wood, #9 x 1.5", or 2" Lengths, Stainless steel Cap, Head-Micro drill tip Matches panel color, 250 screws/bag



Wood Zac

Lifetime Warranty #10 x 1.5" or 2" Lengths, 5/16" Head - Matches panel colors 250 screws/bag



Zac Lap

Lifetime Warranty- #14 x 7/8" long, 5/16" Head - Matches panel colors, 250 screws/bag

The Metal Shop: Fasteners




Purling Screw

#9 x 3" lifetime Screw Start Drive Used for attaching 1 x 4's to roof 2000 per box




Pancake Low Profile

#12 x 1" long used for Standing Seam Panels or Clips




Trim Nails

1bl box Flat Head, 1-1/4" long Used for fastening drip edge




30 degree nails

(for Purlins)
Each item is 2 7/8" length
and comes in 5,000 qty



Underlayment Nails


11/4" (2000 per box)



Rivets


1/8" Stainless and Painted Stainless Rivets - 100/bag

Underlayments




Single Bubble Insulation

2 Square Roll 36" wide x 66.8' long High Temp, 90 day Exposure and 10 year warranty



Ft Platinum Underlayment

Use: under most primary roofing materials including; commercial or residential metal etc



Synthetic HT Underlayment

100% Synthetic Material 10 Square Roll 25 Year Warranty to Shed Water 6 month UV Resistant

Purlins



1 x 4 x 12 SYP Wood Purlins

Used for roof-overs

Roll-up doors

Roll-Up Doors

Order any Size You need
Many Colors to Choose
From Many Options Can be
added 7-14 Day lead Time
Perfect for Workshops, Barns
and Sheds







Midwest Cutting Snips

Makes cutting easier with sharper blades and stronger spring action



Tape Measure

1" x 30' Measures to the 16th of an inch



Malco-N2R panel M notcher

Soft touch, non slip handle insert.



Rubber mallet

Use: is a lightweight hammer-like tool with a head made of molded rubber or hard plastic and a wooden or fiberglass handle.



Caution Tape

Use: is a lightweight, economical, reusable polyethylene.



Chalk

Use: designed for exterior applications like plumbing, electrical, roofing, and masonry.



Chalk Box

Use: use a chalk box to strike a straight line between two points.



MS W Double Lock Seamer

Use: Bending and Crimping



Utility Knife

Utility knives designed as multipurpose cutting tools for use in a variety of trades and crafts.



Chalk line

a tool for marking long, straight lines on relatively flat surfaces, much farther than is practical by hand or with a straightedge.



Chalk line Kit

Speed-Line Reel and Chalk Combo features a features a durable, lightweight ABS housing with a large fill door for quick and easy chalk line



Tie down Strap

Use: can be used in the transport and building industries, the home and for many outdoor activities.



Tape Measure

Use: a type of hand tool typically used to measure distance or size



Straitline String

a type of hand tool that's used in masonry and carpentry to make a straight line between two reference points.




Speed Square

also called a rafter square, rafter angle square, and triangle square, is a multipurpose triangular carpenters' tool use for marking out.



First Aid Kit

bag or pack that holds supplies used to treat minor injuries including cuts, scrapes, burns, bruises, and sprains



Saw Zaw Blades

are cutting and also bi-metal blades, but with a carbide tip at the end of each tooth.



Magnetic Sweeper

sweep up iron and steel parts from floors or sandy surfaces.



Malco Drip Edge Folding a Tool

makes quick bends along the drip edge of flat-pan standing seam metal roofing panels.



Nail Apron

Use: is made from durable fabric with multiple pockets to provide maximum organization.



Handi Square

Use: use as saw guide and large base helps to offer better grip on materials.



Drill Bits

3/16" Double Sided. Used for Predrilling panels prior to screwing



1/4 " Bits

also called a rafter square, rafter angle square, and triangle square, is a multipurpose triangular carpenters' tool use for marking out.



Mini Shingle Shovel

Use: is designed for removing roof shingles.



Aluminium Trim Nails

Use: are designed for outdoor applications such as securing soffit, fascia, trim coil and roof drainage installations.




Vent Boot kit

Use: to prevent water from following the pipe down through your roof and into your home.



Turbo Shears

Cuts up to 20 gauge metal Attach to minimum 14.4 volt drill.



Turbo Shears CM

Hands free cutting of roofing panel and trim. Cuts up to 18 gauge metal



Stinger CN100 Cap
Nailer

Best practice for securing synthetic underlayment.



Pickup Location:										
Delivery Location:										
5-Rib	P	B R		□ Board an	nd Batten					
Gauge:	: Gauge:						Enter Panel Sizes			
Color: Color:										
TMS 2 Inch panel		MS Orange p				QUANTII	TY FEET	IN	CHES	
Gauge:		auge:								
Color:		olor:								
					Panel					
INSULATION / VENTILA	TION	QTY	TRIM		QTY					
Single Bubble			Drip Edge		QII					
FlexPro			Ridge Cap							
Snap Z			Flat Ridge Cap	an						
			Flat Ridge C	ap						
SEALANTS Bealand Seal		QTY	Hip Cap							
Peel and Seal TMS Sealant			Gable Rake							
Expanding Foam			W - Valley							
Tacky Tape 1/2"			Sidewall							
Inside Closures			Endwall							
outside Closures		Flat Endwall								
			Transition FI	ashing						
UNDERLAYMENT/PURLINS QTY		Chim ney Flashing								
Platinum Ice and Water Platinum Underlayment		Panel Starter								
1 x 4 x 12 SYP		Z-Flashing								
			Eave Cleat							
FASTENERS	WOODGRIP SCREW QTY	WOOD BINDER QTY	WOODZAC QTY	WOODGRIP XG QTY	Note:	FLASHINGS		QTY Standard	QT Hig	
1"								Standard	Ten	
1 1/2"							of boots			
2"							: 1/4-5" lor:			
Pancakes						# 5	:4 1/4"-7 1/2"			
						# 7	:6"-11"			
						9:9	9"-19"			
FASTENERS	QTY				1	Ele	ectricPipeBoot			
Stainless Rivets	3.11				1	TouchUpPaint				
Painted Rivets						Sp	ray Paint			
Purlin Screws #9 x 3						Go	oseneckVents			
Collated Nails					Please sketch our trir	n and includ	e clear dimensi	on measu	rem 4	
Stick Nails					pitch needed/degree	s of each ang	gles needed, an	d an arrov	w to	
Trim Nails 1-1/4"					the fabricator know o	n what side t	he pain color ne	eds to be	orien	
Felt Nails 11/4"					Specially Trim 1		Sp	ecially Trin	n 2	
Stinger Nails					(Attach drawing or draw in bo	x)		drawing or dr		
C	ontact us	at								

